## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	85	((DICK near MANFRED) (MAEUSEZAHL near HOLGER) (REINSTEIN near DAN) (SCHROEDER near ECKHARD) (VOGELSANG near HARTMUT)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/12/10 15:31
L2	54	1 and eye	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 15:37
L3	12	2 and aberrometer\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 15:40
L4	4955	((606/4-6,10-12) or (351/205-212)). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 15:42
L5	21	1 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 15:42
L6	12	1 and aberrometer\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 15:43
L7	60	4 and aberrometer\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 15:43

## **EAST Search History**

L8	244	4 and (refractometer	US-PGPUB;	OR	OFF	2006/12/10 15:43
	·	aberrometer\$3)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
L9	13	8 and pachymet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 15:44
L10	13	9 and topograph\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 15:44
L11	13	10 and laser	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ,	OFF	2006/12/10 15:44
L12	11	11 and (control\$3 processor computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 15:50
L13	55328	williams.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 15:50
L14	24	4 and 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 15:50

	1	Document ID	Title	Current OR
1	Х	US 20060064078 A1	Method for controlling a device for treating the human eye	606/10
2	Х	US 7128737 B1	Object figuring device	606/10
3 '	х	US 6722767 B2	Method for determining vision defects and for collecting data for correcting vision defects of the eye by interaction of a patient with an examiner and apparatus therefor	351/211
4	Х	US 6623477 B1	Medical instrument for phacoemulsification.	606/6
5	Х	WO 3101355 A1	METHOD FOR CONTROLLING A DEVICE FOR TREATING THE HUMAN EYE	
6	X	US 20040196435 A1	Method for determining vision defects and for collecting data for correcting vision defects of the eye by interation of a patient with an examiner and apparatus therefor	351/222
7	х	US 5782822 A	Method and apparatus for removing corneal tissue with infrared laser radiation	606/5
8	Х	US 7130835 B2	System and method for predictive ophthalmic correction	706/21
9	Х	US 5949521 A	Method and apparatus for improving vision and the resolution of retinal images	351/246
10	Х	US 5777719 A	Method and apparatus for improving vision and the resolution of retinal images	351/212

	Inventor	
1	Dick; Manfred et al.	
2	Goder; Claus et al.	
3	Dick; Manfred et al.	
4	Elbrecht; Jens et al.	
5	DICK, MANFRED et al.	
6	Dick, Manfred et al.	
7	Telfair; William B. et al.	
8	Cox; Ian G. et al.	
9	Williams; David R. et al.	
10	Williams; David R. et al.	